ORIGINAL ARTICLE



Volume increment modeling and subsidies for the management of the tree *Mora paraensis* (Ducke) Ducke based on the study of growth rings

Zenaide Palheta Miranda¹ · M. C. Guedes² · S. A. Rosa³ · J. Schöngart⁴

Received: 5 January 2017 / Accepted: 25 October 2017 © Springer-Verlag GmbH Germany 2017

Abstract

Key message First study that demonstrated the formation of annual growth rings in Amazonian Estuary trees. Growth patterns of *Mora paraensis* and specific management criteria, such as felling cycle, are presented.

Abstract The aim of the present study was to contribute to increased sustainability in the timber management of Mora paraensis, through the estimation of minimum logging diameter (MLD) and felling cycle, using volume increment models based on tree-ring analysis and allometric relationships. We collected stem discs from 17 trees of five diameter classes. The diameters and heights of the trees were also measured. We estimated tree ages by ring-counting and the radial increment rates by measuring the ring widths with a digital analysis system. We built growth models based on relationships between age, diameter and tree height to estimate volume increment along the tree's whole life cycle. The maximum current diameter increment in M. paraensis occurs at an age of around 26 years, reaching 4.91 mm

year-1. The MLD was 46.4 ± 0.6 cm (standard error), which trees achieve at an age of about 115 years. The felling cycle, estimated by the mean passage time through 10 cm diameter classes until achieving the MLD, was 24.7 ± 1.3 years. These results corroborated the norms of the current Brazilian legislation that regulates forest management of high intensity in the Amazon basin. In future, more specific growth models are needed for other commercial tree species in the Amazonian Estuary to define the optimal harvest rate to maintain sustainable timber resource management practices. Through such practices, the conservation of these ecosystems and their multiple services and functions, as well as the welfare of the forest-dependent human populations can be secured.

Keywords Floodplain forests · Várzea · Pracuúba · Tree rings · Minimum logging diameter · Felling cycle

Communicated by A. Braeuning.

Zenaide Palheta Miranda zenaidemiranda23@gmail.com

Published online: 09 November 2017

- Graduate Program in Tropical Biodiversity, Federal University of Amapá (UNIFAP), Rodovia Juscelino Kubitschek, km 02, Bloco T, Bairro Universidade, 68903-419 Macapá, AP, Brazil
- Brazilian Agricultural Research Corporation (EMBRAPA), Highway Juscelino Kubitschek, km 5, 68903-419 Macapá, Brazil
- Federal Institute of The North of Minas Gerais, Rua Coronel Luiz Pires, 202, 39400-106 Montes Claros, Brazil
- ⁴ National Institute for Amazonian Research, Avenida André Araújo, 2936, 69060-001 Manaus, Brazil

Introduction

The occurrence of annual growth rings in the tropics was denied for a long time, and as such studies applying treering analyses in tropical regions are not as common as in temperate regions (Lieberman et al. 1985). However, several studies have shown evidence of the formation of annual growth rings in tropical trees (Worbes 2002; Rozendaal and; Zuidema 2011; Zuidema et al. 2012) that are formed when tropical trees pass through a period of cambium dormancy during the year, which occurs due to unfavorable environmental growth conditions such as annual inundations in nutrient-rich white-water floodplain forests (*várzea*) resulting in anoxic conditions in the soil (Schöngart et al. 2002). Several studies have described annual tree rings in species occurring in the floodplains of the Amazon and Orinoco



river systems (Worbes 1985, 1989; Dezzeo et al. 2003; Schöngart et al. 2002, 2004, 2005).


The analysis of tree-ring series is important for the estimation of tree age and the characterization of growth patterns along the entire life span, in turn improving the understanding of forest dynamics and thus helping to develop adequate forest management systems (Brienen and Zuidema 2006, 2007; Schöngart et al. 2007; Rosa et al. 2017). The estimates of timber production which consider the between-species and between-environment variations in tree growth are needed to ensure the continuous supply from, and maintenance of, natural forest management systems (Brienen and Zuidema 2007; Schöngart 2008). This is particularly important in the Amazonian *várzea* floodplains, where logging activities are concentrated on just a few commercial tree species (Schöngart and Queiroz 2010).

The várzeas of the Amazon Estuary have been managed for over 300 years and timber exploitation is part of a diverse livelihood strategy that often includes cropping, fishing, hunting and production of palm fruits (Euterpe oleracea) (Fortini and Zarin 2011; Fortini and Carter 2014). Timber exploitation in the floodplain forests of the Amazonian Estuary is mainly focused on the supply of timber for local and regional markets, with timber used largely for construction purposes. Mora paraensis (Ducke) Ducke (popular name: pracuúba) is considered to be endemic to the estuarine floodplains of the Amazon (Wittmann et al. 2013), presenting a high dominance in this ecosystem (Queiroz et al. 2005; Carim et al. 2008; Lima et al. 2014). The species stands out among other commercial tree species in the region due to its high timber stocks of up to 40 m³ ha⁻¹ of commercial volume (Lima et al. 2014) and its high wood density of about 0.90-1.00 g cm⁻³ (Silva 2002). This drives high demands for the timber of this species in regional markets. As such, there is an urgent need to understand whether existing norms surrounding exploitation of this species defined by Brazilian forest legislation meet the biological reality of its growth potential. Data on tree ages and growth patterns, and subsequent growth modeling, allow for the development of species-specific management criteria. In this study, we show that M. paraensis forms annual tree ring by cambial wounding. In the next step, we analyze tree ring series of 17 trees from different diameter classes to model tree growth in diameter, height and volume, to define a specific felling cycle and minimum logging diameter (MLD).

Materials and methods

Study area

The study was carried out in Mazagão, in the state of Amapá, northern Brazil (0°13′00′ S, 51°26′00″ W), in areas of the



Data collection and analysis

To confirm growth patterns and annual ring formation for this species, in the period from August to September 2010, secondary cambium was wounded at breast height on four trees of *M. paraensis* using squares of approximately 3 cm in size (Mariaux 1967; Sousa 2011). In October 2013, the trees were felled and their discs were sampled to test whether the rings formed after wounding corresponded to 3 years of tree growth. The discs were polished and the rings were marked and measured along the eight radii where rings could be best visualized. At each radius, we measured the increment rates after the scar of cambial wounding corresponding to the 3-year period. We compared these measured increment rates with the values obtained from the growth model in the present study, for the past 3 years before the corresponding age of each tree.

We collected 17 trees of M. paraensis using stratified sampling at five different classes of diameter at breast height (DBH): (1) 15 < DBH < 20 cm, (2) 25 < DBH < 30 cm, (3) 35 < DBH < 40 cm, (4) 45 < DBH < 50 cm, and (5) DBH > 55 cm (Table 1). Diameters were derived from the circumference at breast height (CBH), measured at 1.30 m above the ground, using a measuring tape with a precision of 1 mm, dividing CBH by Pi. We also used the measuring tape to obtain commercial and total tree height of all individuals after felling. To estimate tree age, we used stem discs (cross-section of the trunk) collected at the height at which CBH was measured. The samples were transported to the laboratory at Embrapa Amapá, and after drying polished with sandpaper with progressive grit sizes up to 600. For the anatomical characterization of the growth rings, we used the ring patterns described by (Coster 1927), adapted by Worbes (1989, 2002).



Table 1 Diameter and height of the 17 Mora paraensis trees harvested for the analysis of growth rings in the estuary of the Amazon River, northern Brazil

Tree	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Classes	1	1	1	1	2	2	2	3	3	3	3	3	4	4	5	5	5
DBH (cm)	17.2	18.5	19.9	17.8	27.4	25.8	26.4	38.8	36.9	34.7	36.6	39.5	45.5	47.2	63.7	64.3	57.3
Commercial height (m)	8.0	6.0	4.0	10.0	8.0	10.0	8.7	11.6	14.5	18.2	17.0	18.0	16.0	14.5	15.0	14.0	16.0
Total height (m)	18	20	15	23	23	22	22	22	23	25	30	30	28	28	30	30	28

We estimated ages for the 17 trees through direct ringcounting and measured ring width using a digital analysis system with precision of 0.01 mm (LINTAB, Rinntech, Germany) supported by the software TSAP-Win (Time Series Analyses and Presentation, Rinntech, Germany), to produce the individual time series of radial growth (Schöngart et al. 2005).

We calculated current diameter increments and used them to build cumulative diameter growth curves for each individual, which were adjusted to the measured DBH (Brienen and Zuidema 2007; Schöngart 2008). The age—diameter relationship based on 17 curves was adjusted by a sigmoidal regression model (Schöngart et al. 2007), which describes the biological phases of juvenile, mature and senescent growth:

$$DBH = \left(\frac{a}{1 + \left(\frac{b}{age}\right)^c}\right),\tag{1}$$

where DBH is the diameter at 1.30 m from the ground (cm) and a, b, and c are the parameters obtained from the adjustment of the sigmoidal regression considering standard errors

To describe the relationship between DBH and height, we applied a non-linear regression model (Nebel 2001; Nebel et al. 2001; Schöngart et al. 2007),

$$H = \left(\frac{\text{DBH} \times a}{\text{DBH} + b}\right),\tag{2}$$

where H is the total height (m), and a and b are parameters generated in the non-linear regression analysis with indicated standard errors.

We used the cumulative growth in diameter and height to calculate the annual current and mean increment rates at each age by the equations,

$$CAI = CGr_{(t+1)} - CGr_{(t)}, \tag{3}$$

$$MAI = \frac{CGr_{(t)}}{t},\tag{4}$$

where CAI is the current annual increment, MAI is the mean annual increment and CGr is the cumulative growth in different years *t* along the total life cycle of the plant.

We estimated volume growth for each age using the allometric equation by Cannell (1984), as there are no specific allometric models available for *M. paraensis*,

$$V = \left[\pi \times \left(\frac{\text{DBH}}{2}\right)^2 \times H \times 0.6\right],\tag{5}$$

where V is the volume (in m^3), DBH is the diameter at breast height (in cm), and H is the total tree height (in m).

The annual rates of current and mean volume increment during the plant lifetime can be derived from the cumulative volume growth, by applying Eqs. (3) and (4).

Based on the Growth-Oriented Logging (GOL) concept, the volume growth model forms the basis of specific management criteria for commercial tree species' through the estimation of minimum logging diameters and felling cycles (Schöngart 2008). CAI defines the growth in volume over a 1-year period, and MAI refers to the average growth per year that a tree or group of trees have shown, up to a specified age. The CAI curve reaches its maximum before the MAI curve, and these two curves intersect at the maximum MAI point. Harvesting before the maximum CAI age is an unsustainable practice, whereas harvesting after maximum MAI means that the trees have already passed the economically optimum rotation age. Thus, the period between the maximum CAI and the maximum MAI of volume growth represents the optimal interval for harvesting the tree to take advantage of the growth potential without depleting the resource (timber). The ideal minimum logging diameter (MLD) for the species was obtained by the diameter at maximum CAI in volume growth using the age-diameter relationship (Schöngart 2008). The felling cycle (FC) which represents the mean time through 10-cm diameter classes until reaching the specific MLD was calculated using Eq. (6) (Schöngart et al. 2007),

$$FC = \frac{age_{(MDH)}}{MDL \times 0.1},$$
(6)

where FC is the felling cycle of the species and age_(MLD) is the age of the tree when it reached the MLD.






Fig. 1 Anatomical wood structure of tree rings of *M. paraensis* (Fabaceae) growing in the floodplains of the Estuary of the Amazon River, northern Brazil. Growth rings are limited by marginal parenchyma bands, which are indicated by arrows

Results

Growth rings of *M. paraensis* were delimited by marginal parenchyma bands, typical for tree species of the family Fabaceae (Worbes 2002). In the earlywood, we observed a band with a lower density of vessels (Fig. 1). Macroscopic wood characteristics of *M. paraensis* include (1) axial parenchyma visible to the naked eye; (2) confluent aliform

paratracheal; (3) confluent vasicentric; (4) pores clearly visible under a 10× magnification lens, medium, solitary with frequent presence of multiples; (5) vascular lines appear at a regular basis in the tangential longitudinal plane; (6) radius visible under a 10× magnification lens on the transversal and tangential face, non-stratified, mirrored, poorly contrasted; (7) distinct growth layers, individualized by darker tangential fibrous zones; and (8) the presence of marginal parenchyma (Fig. 1). More detailed information on wood anatomy can be found in the study by Sousa (2011).

During the 3-year study period between cambial wounding and sampling the stem discs for analysis, three growth rings were formed (Fig. 2). The average age of the four trees marked by cambial wounding was 32.5 years and in the 3-year growth period after the incision the mean annual diameter increment was 1.48 ± 0.53 mm (Table 2).

The relationship between age and diameter was highly significant for *M. paraensis* (Fig. 3), which allowed diameter growth and increments to be modeled ($r^2 = 0.82$; p < 0.001). The growth model indicates that the maximum current diameter increment *M. paraensis* occurs at approximately 26 years of age, with a growth rate of 4.91 mm year⁻¹ (Fig. 4). The relationship between diameter and height was significant ($r^2 = 0.71$; p < 0.001) (Fig. 5). The

Fig. 2 Stem disc of *Mora* paraensis in the estuarine floodplains of the Amazon River, northern Brazil, sampled in October 2013, 3 years after the application of cambial wounding on two sides of the tree resulting in a dated scar in the wood




Table 2 Estimated age as a function of diameter, and current increment in the past 3 years before the age defined according to the GOL model (Schöngart 2008) for *Mora paraensis*. The increments of 3

years, measured in eight radii of each disc, is presented, after the incision mark in 4 *M. paraensis* trees collected in the estuary of the Amazon River

Sampled	Estimated age (years)	DBH (cm)	Current increment GOL model (cm)	Current increment (cm)
01	22	9.1	1.39	$0.77 (n=8, \max = 2.0 \min = 0.2)$
02	46	21.0	1.34	$2.15 (n=8, \max=2.8, \min=1.5)$
03	32	14.2	1.39	$1.68 (n=8, \max=2.4, \min=0.5)$
04	30	13.2	1.41	$1.32 (n=8, \max = 2.0 \min = 0.2)$
$Mean \pm DV$	32.5 ± 9.2		1.38 ± 0.02	1.48 ± 0.53



Fig. 3 Cumulative diameter growth curves of 17 individuals of *Mora paraensis* and adjusted model for the mean age–size relationship





Fig. 4 Diameter growth model of *Mora. paraensis* (solid black line), current annual increment—CAI (dotted red line) and mean annual increment—MAI (dashed green line). The dotted lines represent the standard error of each curve



maximum height increment rate was 0.67 m year⁻¹ (Fig. 6) and occurred at approximately 6 years of age.

The volume growth curve was constructed using the age-diameter and age-height relationships, and based on this the optimal harvesting period for adult trees was determined. The maximum current volume increment (CAI_{max}) of *M. paraensis* was achieved at an age of 115 years (Fig. 7). At this age, the trees showed an average DBH \pm standard deviation of 46.4 \pm 0.6 cm, which defines the MLD. The felling cycle was estimated as 24.7 \pm 1.3 years, representing the time needed for the population just below the MLD to pass through a DBH class of 10 cm in that environment to

replace what had been exploited, and maintain the productive capacity.

Discussion

The floodplain forests of Central Amazonia have a predictable annual cycle of flood and droughts, defined as a monomodal flood pulse (Junk et al. 1989). Trees in this environment form annual growth rings, as a consequence of the annually, occurring anoxic conditions in the root system (Worbes 1989; Schöngart et al. 2002, 2004, 2005). However,



Fig. 5 Relationship between diameter and height of 17 individuals *M. paraensis*, and estimates of the parameters for the adjustment of the non-linear regression model





Fig. 6 Height growth model of *M. paraensis* indicating the cumulative height growth (solid black line), the current (dotted red line) and mean height increment (dashed green line). The dotted lines represent the standard error of each curve




for the floodplains of the Amazon Estuary where river level dynamics are driven by a predictable polymodal flood pulse (Junk et al. 2011), characterized by two daily cycles of floods and ebbs resulting from the influence of oceanic tides, there has been no evidence so far of the rhythm of treering formation. The formation of growth rings evidenced by cambial wounding suggests an annual growth rhythm of tree species in the estuarine floodplain with a period of cambial dormancy. However, it is not clear which external factors induce the annual growth rhythm, indicating the need for further studies. Tree growth might be restricted during the very rainy season, when the floodplain area extends much

further into the forest, and the water levels are higher due to higher discharges of the Amazon River.

The diameter increments found in the present study are very similar to the values obtained by Fortini and Zarin (2011), who monitored populations of *M. paraensis* in permanent plots in the same region from 2004 to 2007, indicating a mean diameter increment of 0.5 cm year⁻¹. In the floodplain of the Central Amazon, tree-ring analyses have allowed for the identification of significant relationships between age and diameter for many species (Schöngart et al. 2007; Schöngart 2008; Scabin et al. 2012; Marinho et al. 2013; Rosa et al. 2017). This relationship is required for



Fig. 7 Volume growth model of M. paraensis indicating the cumulative volume growth (solid black line), current annual (dotted red line) and mean annual volume increment (dashed green line). The maximum point (CAImax) of the current annual increment represents the minimum logging diameter (MLD), which is derived from the speciesspecific age-diameter relationship (Schöngart 2008, 2010a). The dotted lines represent the standard error of each curve



the GOL modeling approach applied in this study. For the species *M. paraensis*, in the Estuary of the Amazon River, this relationship was also predictable and highly significant, despite the natural variation among the 17 trees sampled.

Growth variation in trees of the same species is natural in tropical native forest environments (Furch 1997), depending on factors such as environmental differences and genetic characteristics of each individual. The growth in diameter of individual trees of *M. paraensis* as a function of age varied considerably, but without affecting the significance of the model. Other studies have also found significant relationships based on the samples of between 15 and 20 trees, for other species in a tropical environment (Schöngart et al. 2015; Rosa et al. 2017).

There is a strong relationship between diameter increment rates and specific wood density (Worbes et al. 1992; Schöngart 2008). Tree species with high wood densities that are associated with low increment rates are frequently found in late-successional tree species (Worbes et al. 1992; Schöngart et al. 2010). In the Central Amazonian floodplains, species with medium and high wood densities varying from about 0.65 to 0.87 g cm⁻³ (Parolin and Ferreira 1998; Schöngart et al. 2010) have mean diameter increment rates varying from 2.4 to 10.6 mm year⁻¹ (Worbes 1989; da; Fonseca Júnior et al. 2009). The range therefore includes the values found in the present study for *M. paraensis*. Among angiosperms, high wood density provides resistance to deterioration (Chave et al. 2009).

The growth models suggest that *M. paraensis* invests first in height growth, attaining maximum increment rates around 6 years. The current diameter increment culminates at approximately 26 years of age. This strategy is an important adaptation for floodplain trees to take their leaves above

the flood level, in order for photosynthesis to take place (Parolin 2002).

The population structure of M. paraensis shows an inverted 'J' distribution (Fortini and Zarin 2011), which indicates that the population is stable and auto-regenerative. Species with such distribution patterns have high potential to replace harvested trees, maintaining the productive capacity for the next felling cycle. Polycyclic systems are recommended to manage species with such structural population patterns (Schöngart 2008). In polycyclic management systems, the ideal period for extraction and the MLD are estimated when the species expresses its highest growth potential in volume. This period occurs between the maximum current and the maximum mean increment rates (Schöngart 2008). In the floodplain forest of Central Amazon, tree species with high wood density (0.65 to 0.94 g cm⁻³) achieve an MLD of 50 cm within a period of 106-151 years, whereas species with low wood densities (0.23–0.57 g cm⁻³) reach this limit at ages between 15 and 67 years (Schöngart 2008; Da Fonseca Júnior et al. 2009). M. paraensis takes less time to reach the 50-cm MLD in the Estuary of the Amazon River than species with a similar wood density in the Central Amazon. For the species Piranhea trifoliata of Central Amazon, which has a wood density (0.94 g cm^{-3}) similar to M. paraensis, the estimated age to reach a diameter of 50 cm was 152 years (Schöngart 2008), whereas M. paraensis reaches that diameter in 128 years. Consequently, the felling cycle of P. trifoliata estimated in 32 years with an MLD of 70 cm is longer than the felling cycle of 25 years with an MLD of 46 cm estimated for M. paraensis. This difference is probably related to the flood regime or edaphic conditions.

The felling cycle of 25 years found in this study matches the management criteria indicated by Normative



Instruction no. 5 from IBAMA (Brasil 2006), which recommends felling cycles of 25–35 years and an MLD of 50 cm for timber resource management applying the conventional sustainable forest management plan, includes the use of heavy equipment for skidding and transport of logs. In this category, the maximum logging intensity is 30 m³ ha⁻¹, independent of the species. In the case of floodplain forests, where the use of heavy equipment is not possible (Schöngart and Queiroz 2010), forest managers can apply the low-intensity category which allows a maximum logging intensity of 10 m³ ha⁻¹, with a felling cycle of 10 years and an MLD of 50 cm, regardless of the tree species. The competent organ can, based on article 6 of Normative Instruction n° 5 and, authorize logging above 10 m³ ha⁻¹ (limited to 3 trees ha⁻¹).

In the case of floodplain forests, the application of the low-intensity category felling cycle cannot be recommended based on the results of the present study, based on modeling individual trees. The application of a felling cycle of 10 years will possibly degrade populations of this endemic species in the estuarine floodplain ecosystem.

Normative Instruction no. 009 (of 15th November 2010) was implemented to regulate the harvest of timber from the *várzea* floodplains of the state of Amazonas. Based on the GOL concept (Schöngart 2008), it predicts the application of 12 years felling cycles for tree species with wood densities below 0.60 g cm⁻³ and 24 years for those with wood densities above 0.60 g cm⁻³, applying species-specific MLDs. This innovative law represents a huge advance, increasing the level of sustainability for the management of timber resources in these regions.

However, felling cycles for the same tree species vary considerably between ecosystems. There is evidence from the Central Amazonian floodplains that diameter growth and volume production can be highly variable within the same species, depending on edaphic conditions and flooding regime, such as has been observed for Macrolobium acaciifolium, Handroanthus barbatus, Vatairea guianensis and Calophyllum brasiliense (Schöngart et al. 2005; Da Fonseca Júnior et al. 2009; Schöngart 2010a, b, c; Scabin et al. 2012; Assahira et al. 2017; Rosa et al. 2017). The analysis of growth rings is a powerful tool to determine increment rates, which consider the entire life history of a species (Worbes et al. 2003). Such analyses allow for the construction of the cumulative growth curve of a tree species, and based on that the definition of specific criteria to manage timber resources, differentiating between species and environments (Schöngart 2008; da Fonseca et al. 2009; Scabin et al. 2012; Rosa et al. 2017).

Conclusions

Mora paraensis presents distinct annual growth rings, whose analysis along its lifespan allowed for patterns of growth in diameter, height, and volume to be modeled. Thus, specific criteria for the management of its timber resources in the floodplain forest of the Estuary of the Amazon River can be estimated. The modeling approach based on tree rings, as suggested by the GOL concept, can also be applied to other commercial tree species of the estuarine floodplain forest such as Calycophyllum spruceanum (Rubiaceae), Platymiscium filipes (Fabaceae) and Carapa guianensis (Meliaceae), to validate if the established norms and regulations of Brazilian forest legislation in terms of felling cycles and MLDs meet the biological reality of their growth potential.

We recommend carrying out further studies on the population structure and dynamics, as well as large-scale inventories of commercial timber stock of the most abundant and harvested species in the estuarine floodplains, for the planning of smallholder and community-based forest management. It is also necessary to build capacity for correct botanical identification in the field and provide knowledge on species reproduction, as well as specific growth modeling in distinct environments of the estuary, such as fluvial islands of different sizes and ages.

Author contribution statement ZPM: data collection in the field, data analysis and main editor of the article, which is one of the chapters of his doctoral thesis. MCG: work planning, obtaining funding, collecting and analyzing data and reviewing the manuscript. Advisor of thesis work and project coordinator to which the work is linked. SAR: laboratory analysis. JS: analysis, growth modeling and discussion of the results, and revision of the manuscript.

Acknowledgements The present study was funded by Embrapa, through the FLORESTAM Project (Ecology and forest management for multiple use of floodplains of the Estuary of the Amazon River), in a partnership with the Dendroecological Laboratory of the MAUA Research Group (Ecology, monitoring and sustainable use of wetlands) at INPA. A person from the riverine community, who owns a family small sawmill, carried out felling and used the timber. The license for felling, collection, and transportation of wood samples was given by the permit 29982-1, authenticated at SISBIO under the code 93489853, for the execution of the FLORESTAM Project. We acknowledge Karen Mustin for revision of the English.

Compliance with ethical standards

Conflict of interest The authors declare that they have no conflict of interest.



References

- Assahira C, Piedade MTF, Trumbore SE, Wittmann F, Cintra BBL, Batista ES, Resende AF, Schöngart J (2017) Tree mortality of a flood-adapted species in response of hydrographic changes caused by an Amazonian river dam. For Ecol Manag 396:113–123
- Brasil. Ministério do Meio Ambiente. Instrução Normativa no. 5 de 11 de Dezembro de 2006. Diário Oficial da União, Brasília, DF, 238, 2006
- Brienen RJW, Zuidema PA (2006) The use of tree rings in tropical forest management: projecting timber yields of four Bolivian tree species. For Ecol Manag 226:256–267
- Brienen RJW, Zuidema PA (2007) Incorporating persistent tree growth differences increases estimates of tropical timber yield. Front Ecol Environ 5:302–306
- Cannell MGR (1984) Woody biomass of forest stands. For Ecol Manag 8:299-312
- Carim MJV, Jardim MAG, Medeiros TDS (2008) Composição Florística e Estrutura de Floresta de Várzea no Município de Mazagão, Estado do Amapá. Brasil Scientia Forestalis 36:191–201
- Chave J, Coomes D, Jansen S, Lewis SL, Swenson NG, Zanne AE (2009) Towards a worldwide wood economics spectrum. Ecol Lett 12:351–366
- Coster C (1927) Zur Anatomie und Physiologie der Zuwachszonen und Jahresbildung in den Tropen. Annales du Jardin Botanique de Buitenzorg 37:49–160
- Da Fonseca Júnior SF, Piedade MTF, Schöngart J (Mey E (2009) Wood growth of *Tabebuia barbata*.) Sandwith (Bignoniaceae) and *Vatairea guianensis* Aubl. (Fabaceae) in Central Amazonian black-water (igapó) and white-water (várzea) floodplain forests. Trees 23:127–134
- Dezzeo N, Worbes M, Ishii I, Herrera R (2003) Growth rings analysis of four tropical tree species in seasonally flooded forest of the Mapire River, a tributary of the lower Orinoko River, Venezuela. Plant Ecol 168:165–175
- Fortini LB, Carter DR (2014) The economic viability of smallholder timber production under expanding acai palm production in the Amazon Estuary. J For Econ 20:223–235
- Fortini LB, Zarin DJ (2011) Population dynamics and management of Amazon tidal floodplain forests: Links to the past, present and future. For Ecol Manag 261:551–561
- Furch K (1997) Chemistry of várzea and igapó soils and nutriente inventory of their floodplain forests. In: Junk WJ (ed) The Central Amazon floodplain: ecology of a pulsing system, vol 126. Springer, Berlin, pp 47–67
- IBGE—Instituto Brasileiro de Geografia e Estatística (2012) Manual Técnico da Vegetação Brasileira. Manuais Técnicos em Geociências número 1. 2012
- Junk WJ, Bayley PB, Sparks RE (1989) The flood pulse concept in river-floodplain systems. Can Spec Publ Fish Aquat Sci 106:110-127
- Junk WJ, Piedade MTF, Schöngart J, Cohn-Haft M, Adeney M, Witt-mann F (2011) A classification of major Amazonian wetlands. Wetlands 31:623–640
- Lieberman D, Lieberman N, Peralta R (1985) Growth rates and agesize relationship of tropical wet forest trees in Costa Rica. J Trop Ecol 1:97–109
- Lima RB, Aparicio PS, Ferreira RLC et al (2014) Volumetria e classificação da capacidade produtiva para *Mora paraensis* (Ducke) no estuário amapaense. Scientia Forestalis 42:141–154
- Mariaux A (1967) Les cernes dansles bois tropicau xafricains, nature et périodicité. Bois Trop 114:23–37
- Marinho TAS, Lopes A, Assis RL et al (2013) Distribuição e crescimento de *Garcinia brasiliensis* Mart. e *Hevea spruceana*

- (Benth.) Müll. Arg. em uma floresta inundável em Manaus. Amazonas Ciência Florestal 23:223-232
- Nebel G (2001) Minquartia guianensis Aubl.: use, ecology and management inforestry and agroforestry. For Ecol Manag 150:115-124
- Nebel G, Dragsted J, Simonsen TR, Vanclay JK (2001) The Amazon flood plain forest tree *Maquira coriacea* (Karsten) C.C. Berg: aspects of ecology and management. For Ecol Manag 150:103–113
- Parolin P (2002) Submergence tolerance vs. escape from submergence: Two strategies of seedling establishment in Amazonian floodplains. Environ Exp Bot 48:177–186
- Parolin P, Ferreira LV (1998) Are there differences in specific wood gravities between trees in várzea and igapó (Central Amazonia)? Ecotropica 4:25–32
- Queiroz JAL, Mochiutti S, Machado AS, Galvão F (2005) Composição florística e estrutura de floresta em várzea alta estuarina Amazônica. Revista Floresta 35:41–56
- Rosa SA, Barbosa ACMC, Junk WJ, Nunes da Cunha C, Piedade MTF, Scabin AB, Ceccantini GCT, Schöngart J (2017) Growth models based on tree-ring data for the Neotropical tree species Calophyllum brasiliense across different Brazilian wetlands: implications for conservation and management. Trees 31:729-742
- Rozendaal Danaë MA, Zuidema PA (2011) Dendroecology in thetropics: a review. Trees 25:3–16
- Santos VF, Tardin AT (2003) Projeto zoneamento ecológico-econômico do setor costeiro estuarino do Estado do Amapá: diagnóstico sócio-ambiental, relatório técnico de solos, IEPA, Macapá, p 22
- Scabin AB, Costa FRC, Schöngart J (2012) The spatial distribution of illegal logging in the Anavilhanas archipelago (Central Amazonia) and logging impacts on species. Environ Conserv 39:111–121
- Schöngart J (2008) Growth-orientated logging (GOL): a new concept towards sustainable forest management in Central Amazonian várzea floodplains. For Ecol Manag 256:46–58
- Schöngart J, Piedade MTF, Ludwigshausen S, Horna V, Worbes M (2002) Phenology and stem-growth periodicity of tree species in Amazonian floodplain forests. J Trop Ecol 18:581–597
- Schöngart J, Junk WJ, Piedade MTF, Ayres JM, Hüttermann A, Worbes M (2004) Teleconnection between tree growth in the Amazonian floodplains and the El Ninõ-Southern oscillation effect. Glob Chang Biol 10:683–692
- Schöngart J, Piedade MTF, Wittmann F, Junk WJ, Worbes M (2005) Wood growth patterns of *Macrolobium acaciifolium* (Benth.) Benth. (Fabaceae) in Amazonian black-water and white-water floodplain forests. Oecologia 145:454–461
- Schöngart J, Wittmann F, Worbes M, Piedade MTF, Rambeck HJ, Junk WJ (2007) Management criteria for *Ficus insipida* Willd. (Moraceae) in Amazonian white-water floodplain forests defined by tree-ring analysis. Ann For Sci 64:657–664
- Schöngart J (2010a) Growth-oriented logging (GOL): the use of species-specific growth information for forest management in Central Amazonian floodplains. In: Junk WJ, Piedade MTF, Wittmann F et al (eds) Amazon floodplain forests: ecophysiology, biodiversity and sustainable management. Ecological studies, vol 210. Springer, Heidelberg, pp 437–462
- Schöngart J, Queiroz HL (2010b) Traditional timber harvesting in the central Amazonian floodplain forests. In: Junk WJ, Piedade MTF, Wittmann F et al (eds) Amazon floodplain forests: Ecophysiology, biodiversity and sustainable management. Ecological studies, vol 210. Springer, Heidelberg, pp 419–436
- Schöngart J, Wittmann F, Worbes M (2010c) Biomass and Net Primary Production of Central Amazonian Floodplain Forests. In: Junk WJ, Piedade MTF, Wittmann F et al (eds) Amazon floodplain forests: Ecophysiology, Biodiversity and sustainable management. Ecological studies. vol 210. Springer, Heidelberg, pp 347–388



- Schöngart J, Gribell R, Fonseca-Junior SF, Haugaasen T (2015) Instituto Age and Growth Patterns of Brazil Nut Trees (*Bertholletia excelsa* Bonpl.) in Amazonia, Brazil. Biotropica 47:550–558
- Silva AC (2002) Madeiras da Amazônia: características gerais, nome vulgar e usos. Manaus: SEBRAE. p. 237
- Sousa MAR (2011) Anatomia ecológica do lenho de árvores de *Mora* paraensis (Ducke) Ducke ocorrentes em várzea estuarina no Estado do Amapá. Universidade Federal do Amapá
- Wittmann F, Householder E, Piedade MTF et al (2013) Habitat specificity, endemism and the neotropical distribution of Amazonian white-water floodplain trees. Ecography 36:690–707
- Worbes M (1985) Structural and other adaptations to long-term flooding by in Central Amazonia. Amazoniana 9:459–484
- Worbes M (1989) Growth rings, increment and age of trees in inundation forests, savannas and a mountain forest in the Neotropics. IAWA Bull 10:109–122

- Worbes M (2002) One hundred years of tree-ring research in the tropics - a brief history and an outlook to future challenges. Dendrochronologia 20:217–231
- Worbes M, Klinge H, Revilla JD, Martins C (1992) On the dynamics, floristic subdivision and geographical distribuition of Várzea forests in Central Amazonia. J Veg Sci 3:553–564
- Worbes M, Staschel R, Roloff A, Junk WJ (2003) The ring analysis reveals ag 199e structure, dynamics and wood production of a natural forest stand in Cameroon. For Ecol Manag 173:105–123
- ZEE (2000) Zoneamento Ecológico Econômico da Área Sul do Estado do Amapá. Atlas. IEPA/GEA/AP, Macapá
- Zuidema PA, Brienen RJ, Schöngart J (2012) Tropical forest warming: looking backwards for more insights. Trends Ecol Evol 27:193–194

