GENETIC VARIATION BETWEEN RUBBER PROVENENCES

João Rodrigues de Paiva² Paulo de Souza Gonçalves² Luadir Gasparotto³

One-year old Hevea seedlings originated from 36 different provenances were evaluated for stem diameter, plant height, number leaf and disease tolerance. The seeds were native trees collected in 14 distinct areas covering localities in Acre state, two in Mato Grosso state and six in Rondônia state. The design used was a triple lattice 6 x 6 with 50 plants per plot, at a spacing of 4 by 4 meters. The preliminary results from this study showed that RO/CM/10, MT/C/04 and MT/C/06 provenances to be the vigorous. On the other hand, AC/S/08 and AC/S/11 the poorest vigour. The provenances originated from native trees located in the "Varzea" (seasonal flooded area) showed the best behaviour in terms of vigor. In general, provenances coming from Rondônia were more vigorous those from Acre and Mato Grosso. In addition, provenances from the districts of Costa Marques (Rondônia), Ariel (Ma

A paper carried out with financial resources provided through a SUDHEVEA/EMBRAPA agreement.

Engo Agroo, M.Sc., em Genética e Melhoramento de Plantas, Pesquisador do Centro Nacional de Pesquisa de Seringueira e Dendê (CNPSD) - EMBRAPA, Caixa Postal 319, CEP 69.000 - Manaus, AM.

Engo Agro, M.Sc., em Fitopatologia, Pesquisador do CNPSD.

To Grosso) and Tarauaca (Acre contributed proportionally more to the estimated variation among the provenance in each state for the character of vigour. The parameters used for evaluation of genetic variation of the population showed high variability useful for selection. All the provenances showed a high suscptibility to Microcylus ulei the incidence of Thanatephorus cucumeris and Colletotrichum gloeosporioides being less and more variable.