

PB230

Expression Analysis of *DREB* Subfamily Genes in Leaves and Roots of *Coffea canephora* Conilon Subjected to Drought.

- ✚ Reichel, Tharyn^{*,**}, Alves, Gabriel S.C.^{*,**}, Aquino, Sinara O.^{*,**}, Carneiro, Fernanda^{*,**}, Andrade, Alan C. ^{**,***}, Marraccini, Pierre.^{**,****}
- ✚ ^{*}Federal University of Lavras, MG, Lavras, BRAZIL.
- ✚ ^{**}Embrapa Genetic Resources and Biotechnology, Brasilia, DF, BRAZIL.
- ✚ ^{***}EMBRAPA Coffee-INOVACAFÉ, Lavras, BRAZIL.
- ✚ ^{****}CIRAD, UMR AGAP, Montpellier, FRANCE.

Coffea canephora is one of the most economically important coffee species and in Brazil, Conilon being the most widely cultivated plant of this species. Abiotic stresses such as temperature variations and drought periods are factors that significantly affect their production and tend to worsen with globally recognized climate changes.

Rationale

In an attempt to understand the molecular responses of coffee plants in water deficit conditions, recent studies have identified candidate genes as *CcDREB1D* (Dehydration Responsive Element Binding Protein). This gene showed increased expression in response to drought in the leaves of clone 14 (drought tolerant) in relation to the clone 22 (drought susceptible) of *C. canephora* Conilon (Marraccini *et al.*, 2012).

Methods:

The main objectives of this work were (1) to identify *DREB* genes and their subgroups (SGs) of *C. canephora*, and (2) to analyze their expression by reverse transcription-quantitative PCR in leaves and roots of drought-tolerant (14, 73 and 120) and drought-susceptible (22) clones of *C. canephora* Conilon submitted (or not) to drought stress.

Results

Among the four subgroups (I-IV) of coffee *DREB* genes (Alves, 2015), we identified several *DREB* genes showing differential expression profiles in leaves in response to drought. For several of them, differential expression profiles under drought were observed between drought-tolerant and drought-susceptible clones of *C. canephora*. This was the case for *Cc05_g06840* (SG-I) and *Cc08_g13960* (SG-III) *DREB* that were highly up-regulated by drought in leaves of drought-tolerant clones 14 and 73, but not in those of the drought-susceptible clone 22.

Conclusions & Perspectives

The fact that several *DREB* genes were differentially expressed under drought between drought-tolerant and drought-susceptible clones of *C. canephora* highly suggests that these genes play a key role in response of coffee plants to this abiotic stress.

References

1. Alves, G.S.C. (2015). Characterization of a candidate gene for drought tolerance in *Coffea*: the *CcDREB1D* gene, in contrasting genotypes of *Coffea canephora* and related species. Ph.D Thesis, 190p. SupAgro-Montpellier, FR/UFLA-Lavras, BR.
2. Marraccini, P. *et al.* (2012). Differentially expressed genes and proteins upon drought acclimation in tolerant and sensitive genotypes of *Coffea canephora*. *J Exp Bot* 63: 4191-4212.