

## SCALE OF OPERATION, ALLOCATIVE INEFFICIENCIES AND SEPARABILITY OF INPUTS AND OUTPUTS IN AGRICULTURAL RESEARCH

Geraldo da Silva e Souza\* and Eliane Gonçalves Gomes

Received September 29, 2011 / Accepted April 24, 2013

**ABSTRACT.** In this article we consider some properties of concern for research production at Embrapa. We apply statistical tests to address questions related to the scale of operation, the presence of allocative inefficiencies and separability of inputs and outputs. The production process is assessed by nonparametric methods with the use of Data Envelopment Analysis. The period under analysis is 2002-2009. We conclude that Embrapa's technology frontier shows variable returns to scale, is allocative efficient in general and is separable in inputs and outputs. These characteristics justify the company policy of adopting a VRS solution and the aggregation of output variables. Scale inefficiencies are the basis for further input congestion studies.

**Keywords:** DEA, efficiency, agricultural research.

### 1 INTRODUCTION

The Brazilian Agricultural Research Corporation (Embrapa) monitors, since 1996, the production process of 37 of its 42 research centers by means of a nonparametric production model. Measures of efficiency are computed using data envelopment analysis. For more details see Souza *et al.* (1999, 2007, 2010, 2011).

Our interest is on the economic, technical and allocative measures of efficiency, computed in the production system under the assumption of cost minimization. Several important questions arise in the actual application of DEA in the monitoring process at Embrapa.

Firstly there is the choice of aggregating or not the outputs. For some time Embrapa has used a weighted average of output variables as a single output indicator in its production model. Aggregation assumes separability, a property not fully investigated in the model. Aggregation in ultimate analysis is a consequence of a multicriteria additive model, which requires preferential independence among the criteria (Pomerol & Barba-Romero, 2000; Bouyssou *et al.*, 2010). From an economic point of view aggregation, as well as separability, has been a longstanding

---

\*Corresponding author

Brazilian Agricultural Research Corporation (Embrapa), Parque Estação Biológica, Av. W3 Norte final, 70770-901 Brasília, DF, Brazil. E-mails: geraldo.souza@embrapa.br; eliane.gomes@embrapa.br

subject of interest in the economic literature. See Berndt & Christensen (1973), Blackorby *et al.* (1977), Chambers & Färe (1993).

Secondly, there is the assumption on the scale of operation. Embrapa's model imposes constant returns to scale, which generates harsh measures of efficiency for the evaluation process. The approach is justified by the measurement of inputs and outputs on a per employee basis. A statistical test is in order to quantify differences related to the scale of operation, if constant returns is to be used as the final choice in the evaluation model.

It is also of importance for the institution to identify the sources of economic inefficiencies. Are they due to technical inefficiencies, to poor choice of input combinations or both?

Our approach to test for the presence of allocative inefficiencies, returns to scale, and separability of inputs and outputs for Embrapa's production system follows closely to Banker & Natarajan (2004).

Our discussion proceeds as follows. In Section 2 we describe Embrapa's production system. In Section 3 we establish the technological nonparametric production setting that can be related to DEA and the parametric and nonparametric statistical tests that can be performed for the assessment of scale of production, allocative inefficiencies and separability. In Section 4 we show the empirical results based on the analysis by year. Finally, in Section 5 we summarize our results.

## 2 EMBRAPA'S RESEARCH PRODUCTION MODEL

Embrapa's research system currently comprises 42 research centers (DMUs in the DEA context). Five of these production units were recently created and are not included in the evaluation system. For this reason, our sample consists of 37 DMUs. Input and output variables have been defined from a set of performance indicators known to the company since 1991. The company uses routinely some of these indicators to monitor performance through annual work plans. With the active participation of the board of directors of Embrapa, as well as the administration of each of its research units, 28 output and three input indicators were selected as representative of production actions in the company.

The output indicators were classified into four categories: Scientific Production; Production of Technical Publications; Development of Technologies, Products, and Processes; Diffusion of Technologies and Image.

By Scientific Production we mean the publication of articles and book chapters. We require that each item be specified with complete bibliographical reference. Specifically, the category of Scientific Production includes the following items:

1. Scientific articles published in refereed journals and book chapters – domestic publications<sup>1</sup>.
2. Scientific articles published in refereed journals and book chapters – foreign publications<sup>1</sup>.

---

<sup>1</sup>Prior to the definition of the categories' weights, the different types of articles are combined following the QUALIS/CAPES classification. The weights used in this aggregation were defined by Embrapa's administration as follows: A1 = 3.50, A2 = 3.25, B1 = 3.00, B2 = 2.50, B3 = 2.25, B4 = 2.00, B5 = 1.50, C = 0.50.

3. Articles and summaries published in proceedings of congresses and technical meetings.

The category of Production of Technical Publications groups publications produced by research centers aiming, primarily, agricultural businesses and agricultural production. Specifically,

1. Technical circulars. Serial publications, written in technical language, listing recommendations and information based on experimental studies. The intended coverage may be the local, regional or national agriculture.
2. Research bulletins. Serial publications reporting research results.
3. Technical communiqués. Serial publications, succinct and written in technical language, intended to report recommendations and opinions of researchers in regard to matters of interest to the local, regional or national agriculture.
4. Periodicals (document series). Serial publications containing research reports, technological information or other matter not classified in the previous categories. Examples are proceedings of technical meetings, reports of scientific expeditions, reports of research programs etc.
5. Technical recommendations/instructions. Publication written in simplified language aimed at extensionists and farmers in general, and containing technical recommendations in regard to agricultural production systems.
6. Ongoing research. Serial publication written in technical language and approaching aspects of a research problem, research methodology or research objectives. It may convey scientific information in objective and succinct form.

The category of Development of Technologies, Products and Processes groups indicators related to the effort made by a research unit to make its production available to society in the form of a final product. We include here only new technologies, products and processes. These must be already tested at the client's level in the form of prototypes, through demonstration units or be already patented. Specifically,

1. Cultivars. Plants varieties, hybrids or clones.
2. Agricultural and livestock processes and practices.
3. Agricultural and livestock inputs. All raw materials, including stirps, that may be used or transformed to obtain agricultural and livestock products.
4. Agro-industrial processes. Operations carried out at commercial or industrial level envisaging economic optimization in the phases of harvest, post harvest and transformation and preservation of agricultural products.
5. Machinery (equipment). Machine or equipment developed by a research unit.

6. Scientific methodologies.
7. Software.
8. Monitoring, zoning (agro ecologic or socioeconomic) and mapping.

Finally, the category of Diffusion of Technologies and Image encompasses production actions related with Embrapa's effort to make its products known to the public and to market its image. Here we consider the following indicators:

1. Field days. The research units organize these events. The objective is the diffusion of knowledge, technologies and innovations. The target public is primarily composed of farmers, extensionists, organized associations of farmers (cooperatives), and undergraduate students. The field day must involve at least 40 persons and last at least four hours.
2. Organization of congresses and seminars. Only events with at least three days of duration time are considered.
3. Seminar presentations (conferences and talks). Presentation of a scientific or technical theme within or outside the research unit. Only talks and conferences with a registered attendance of at least 20 persons and duration time of at least one hour are considered.
4. Participation in expositions and fairs. Participation is considered only in the following cases: (a) With the construction of a stand with the purpose of showing the center's research activities by audiovisuals and distributing publications uniquely related to the event's theme; (b) Co-sponsorship of the event.
5. Courses. Courses offered by a research center. Internal registration is required specifying the course load and content. The course load should be at least eight hours. Disciplines offered as part of university courses are not considered.
6. Trainees. Concession of college level training programs to technicians and students. Each trainee must be involved in training activities for at least 80 hours to be counted in this item.
7. Fellowship holders. Orientation of students (the fellowship holders). The fellowship duration should be at least six months and the workload at least 240 hours.
8. Folders. Only folders inspired by research results are considered. Re-impressions of the same folder and institutional folders are not counted.
9. Videos. Videos should address research results of use for Embrapa's clients. The item includes only videos of products, services and processes with a minimum duration time of 12 minutes.

10. Demonstration units. Events organized to demonstrate research results – technologies, products, and processes – already in the form of a final product, in general with the co-participation of a private or governmental agent of technical assistance.
11. Observation units. Events organized to validate research results, in space and time, in commercial scale, before the object of research has reached its final form. Observations units are organized in cooperation with producers, cooperatives, and other agencies of research or private institutions. The events may be organized within or outside the research unit.

The input side of Embrapa's production process is composed of three factors:

1. Personnel costs. Salaries plus labor duties.
2. Operational costs. Expenses with consumption materials, travels and services, less income from production projects.
3. Capital. Measured by depreciation.

As indicators of the production process we consider a system of dimensionless relative indices. These are all quantity indexes. The idea, from the output point of view, is to define a combined measure of output as a weighted average of the relative indicators (indices). The relative indices are computed for each production variable and for each research unit within a year dividing the observed production quantity by the mean per research unit. The input indices are indicated by  $x_i^o$ ,  $i = 1, 2, 3$ . These quantities represent relative indices of personnel, operational expenditures and capital expenditures, respectively.

Output measures per category are defined as follows. The output component  $y_i$ ,  $i = 1, 2, 3, 4$ , of each production category is a weighted average of the relative indices composing the category. If  $o$  is the DMU (research unit) being evaluated then

$$y_i^o = \sum_{j=1}^{k_i} a_{ji}^o y_{ji}^o; \quad 0 \leq a_{ji}^o; \quad \sum_{j=1}^{k_i} a_{ji}^o = 1$$

where  $a_{ji}^o$ ,  $j = 1, \dots, k_i$  is the weight system for DMU  $o$  in the category of production  $i$ ,  $k_i$  is the number of production indicators comprising  $i$  and  $y_{ji}^o$  is the relative index of production  $j$ .

The weights, in principle, are supposed to be user defined and should reflect the administration's perception of the relative importance of each variable to each DMU. Defining weights is a hard and questionable task. In our application we followed an approach based on the law of categorical judgment of Thurstone (1927). See Torgerson (1958) and Kotz & Johnson (1989). It is an alternative to the AHP method of Saaty (1994). The model is well suited when several independent judges are involved in the evaluation process.

The psychometric model proposed by Thurstone (1927) postulates the presence of a psychological continuum as follows. Consider a set of  $r \geq 2$  stimuli  $S = \{S_1, \dots, S_r\}$  and a set of

$m \geq 2$  categories  $C = \{C_1, \dots, C_m\}$ . A referee or judge, randomly chosen from a population, is to classify each stimulus  $S_i$  into one of the categories  $C_j$ . The categories in  $C$  are mutually exclusive and ordered according to an underlying characteristic of interest. In this context  $C_1 < C_2 < \dots < C_m$  represents the ordination in  $C$ , that is, relative to the characteristics of interest  $C_1$  represents the least intense impulses and  $C_m$  the most intense impulses.

Each time a referee faces a stimulus, a mental discriminial process is put into action and it generates a numerical value in the real line reflecting the stimulus intensity. Therefore, in this way, the stimuli translate in the psychological continuum into scale values  $\mu_1, \dots, \mu_r$ . Likewise the categories translate into location values  $\tau_1, \dots, \tau_{m-1}$ . These later quantities form a partition of the real line  $(-\infty, \tau_1], (\tau_1, \tau_2], \dots, (\tau_{m-1}, +\infty]$ . The partition relates to stimuli  $S_i$  and categories  $C_j$  according to the following rule. The referee classifies stimulus  $S_i$  into  $\cup_{l=1}^j C_l$  if and only if  $\mu_i \leq \tau_j$ . The process inherits randomness from the sampling scheme and from the fact that due to stochastic fluctuations in nature, a given stimulus and category when repeatedly evaluated by a referee does not generate the same scale and boundary values in the psychological continuum. Randomness leads one to assume that the  $\mu_i$  are indeed means of random variables  $\xi_i$  with variance  $\sigma_i^2$  and that  $\tau_j$  are indeed means of random variables  $\eta_j$  with variances  $\phi_j^2$ . The discussion imposes row independence and joint normality, that is, the  $\xi_i$  are uncorrelated and  $(\xi, \eta_j)$  are jointly normally distributed. In principle, one has primary interest in the pairwise parametric differences  $\mu_i - \mu_j$ .

Let  $\pi_{ij}$  denote the probability of locating stimulus  $S_i$  into one of the first  $j$  categories  $C_1, C_2, \dots, C_j$ . We assume  $\pi_{ij} > 0$ . We then have (1).

$$\begin{aligned}
 P\left\{S_i \in \bigcup_{l=1}^j C_l\right\} &= \pi_{ij}, \quad i = 1, \dots, r, \quad j = 1, \dots, m - 1 \\
 &= P\{\xi_i \leq \eta_j\} = \left\{Z \leq -\frac{\mu_i - \tau_j}{\sqrt{\text{Var}(\xi_i - \eta_j)}}\right\}.
 \end{aligned}
 \tag{1}$$

Let  $g(\cdot)$  denote the probit transformation. The assumption of joint normality leads to the equations (2), relating the cumulative probabilities  $\pi_{ij}$  to the parameters of Thurstone’s model.

$$g(\pi_{ij}) = -\frac{\mu_i - \tau_j}{\sqrt{\text{Var}(\xi_i - \eta_j)}}, \quad i = 1, \dots, r, \quad j = 1, \dots, m - 1.
 \tag{2}$$

Clearly it is possible to generalize the normal projection on the psychological continuum to other distributions. Any monotonic function may play the role of  $g(\cdot)$ . Typical alternatives in this context would be the logistic scale  $g(x) = \ln\{x/(1 - x)\}$  and the log-log scale  $g(x) = \ln\{-\ln(1 - x)\}$ . Here we follow the logistic scale.

If enough observations are available to estimate the probabilities  $\pi_{ij}$  in (2), then the sample version of the Law of Categorical Judgment is therefore (3), where  $\hat{\pi}_{ij}$  is the relative cumulative frequency of observations in category  $C_j$ .

$$g(\hat{\pi}_{ij}) = -\frac{\mu_i - \tau_j}{\sqrt{\text{Var}(\xi_i - \eta_j)}} + u_{ij}, \quad i = 1, \dots, r, \quad j = 1, \dots, m - 1.
 \tag{3}$$

The vectors  $u'_i = (u_{i1}, \dots, u_{im-1})$  are independently distributed with a distinct variance matrix for each  $i$ . Clearly,  $\hat{\pi}_{ij} = \hat{p}_{i1} + \hat{p}_{i2} + \dots + \hat{p}_{ij}$ , where  $p_{il}$  represents the proportion of times the referees classify stimulus  $S_i$  into  $C_l$ .

We follow a particular case of this specification known as Model B (Torgenson, 1958; McCullagh & Nelder, 1989). Model B assumes  $\text{Var}(\xi_i - \eta_j) = \delta_i$ . From (3), this assumption generates the nonlinear regression model (4).

$$g(\hat{\pi}_{ij}) = -\frac{\mu_i - \tau_j}{\delta_i} + \varepsilon_{ij} . \tag{4}$$

Notice that we must have  $2r + m - 3 \leq r(m - 1)$ , i.e., the number of parameters should be at most the number of observations. The number of parameters is adjusted for two identifying restrictions  $\sum_{i=1}^r \frac{1}{\delta_i} = r$  and  $\sum_{i=1}^r \frac{\mu_i}{\delta_i} = 0$ .

Following Souza (2002), the relative importance of stimuli  $i$  is given by (5), assuming the logistic scale.

$$\frac{\left(\frac{1-\pi_{ij}}{\pi_{ij}}\right)^{\delta_i}}{\sum_{v=1}^r \left(\frac{1-\pi_{iv}}{\pi_{iv}}\right)^{\delta_v}} . \tag{5}$$

The parameters needed to use this formula may be estimated by maximum likelihood using the multinomial distribution or generalized least squares (GLS) assuming residuals centered at zero. We followed the GLS approach.

We sent out about 500 questionnaires to researchers and administrators and asked them to rank in importance – scale from 1 to 5 – each production category and each production variable within the corresponding production category. A set of weights was determined under the assumption that the psychological continuum of the responses projects onto a lognormal distribution.

The efficiency models implicitly assume that the production units are comparable. This is not strictly the case in Embrapa. To make them comparable it is necessary an effort to define an output measure adjusted for differences in operation, perceptions and size. The solution proposed for the latter is to measure variables on a *per capita* basis (Hollingsworth & Smith, 2003). Further in that direction, at the level of the partial production categories, we considered a distinct set of weights for each production unit. In principle one could go ahead and use multiple outputs. This would minimize the effort of defining weights. The problem with such approach is that there is a kind of dimensionality curse in DEA efficiency models. As the number of factors (inputs and outputs) increases, the ability to discriminate between units decreases. As Seiford & Thrall (1990) put it, given enough factors, all (or most) of the DMUs are rated efficient. This is not a flaw of the methodology, but rather a direct result of the dimensionality of the input/output space relative to the number of units. Thus the set of production variables monitored by Embrapa comprises an output  $y$  and a three dimensional input vector  $(x^1, x^2, x^3)$ . For the period 2002-2009 we have balanced information on the vector  $(x^1, x^2, x^3, y)$  for all 37 Embrapa’s research

centers. It is important to emphasize here that we are postulating a production model. The univariate  $y$  is assumed to be a monotonic concave function of the inputs defined on a convex set of a three dimensional space. We assume separability, on economic and multicriteria senses, to aggregate outputs. Separability will be tested.

We see the use of ratios to define production variables in our application as unavoidable. Different denominators are used with the virtue of being independent of the units' size. This characteristic facilitates comparisons between units and allows the assumption of a common production function. In the context of a pure DEA analysis, the problem of efficiency comparisons may be resolved by imposing the BCC assumption. See Hollingsworth & Smith (2003) and Emrouznejad & Amin (2009). These authors state that when using ratio variables, the constant returns to scale assumption is not valid. In this context a comparison of CCR and BCC solutions is in order.

DEA models are known to be sensitive to outliers. Here we recognize two types of outliers: errors of measurement, mainly in the output variables, and benchmarks resulting from the DEA analysis. We want to detect DEA (benchmarks) outliers. Errors of measurement are undesirable. In our application is crucial the control of this type of error. Control of measurement errors outliers prior to the DEA analysis is particularly important for output variables to avoid spurious efficiency scores. In this context we use box plot fences to identify the values of outlying observations. Following standard exploratory statistical practices (Hoaglin *et al.*, 2000), values above  $Q3 + 1.5(Q3 - Q1)$  are investigated and acted upon if indeed resulted from measurement error. Here  $Q1$  and  $Q3$  denote the first and third quartiles, respectively.

### 3 TECHNOLOGY SET AND DEA ESTIMATION

Let  $x_j \geq 0$  and  $y_j \geq 0$ ,  $j = 1, \dots, n$ , be the observed input and output vectors in a sample of  $n$  observations generated from the underlying technology set  $T = \{(x, y); \text{output } y \text{ can be produced from inputs } x\}$ . The underlying technology  $T$  is convex and satisfies the properties listed in Coelli *et al.* (2005). The efficiency of a DMU  $j$  is defined by (6).

$$\theta(x_j, y_j) = \inf_n \{ \eta; (\eta x_j, y_j) \in T \}. \quad (6)$$

Banker *et al.* (2011) assume the following minimal additional probabilistic structure. The quantity  $\theta$  is modeled as a random variable with probability density  $f(\theta)$  with support in  $(0, 1)$ . It is further assumed that if  $\delta \in (0, 1)$ , then  $\int_{\delta}^1 f(\theta) d\theta > 0$ .

Under the above assumptions the estimates  $\hat{\theta}(x_j, y_j)$  are consistent and converge in distribution, where  $\hat{\theta}(x_j, y_j) = \min_{\lambda, \eta} \eta$ , subject to the conditions  $Y\lambda \geq y_j$ ,  $X\lambda \leq \eta x_j$ ,  $\lambda 1 = 1$  and  $\lambda \geq 0$ . Here  $Y = (y_1, \dots, y_n)$  is the output matrix and  $X = (x_1, \dots, x_n)$  is the input matrix.

One says that the technology  $T$  shows constant returns to scale if  $(x, y) \in T$  implies  $(kx, ky) \in T$ ,  $k > 0$ . In this case, a consistent and asymptotically convergent in distribution estimator is obtained removing the convexity condition  $\lambda 1 = 1$ .



Banker & Natarajan (2004) suggest three statistical tests to examine the assumption constant versus variable returns to scale. Two of them are based on specific assumptions on the density function  $f(\theta)$  (exponential and half-normal distributions), and the third is a nonparametric test. Our choice is for the nonparametric test, which is based on the Smirnov-Kolmogorov two sample statistics.

Discussions about returns to scale in DEA can be seen, for instance, in Färe & Grosskopf (1994), Zhu & Shen (1995), Jahanshahloo *et al.* (2005), Sueyoshi & Sekitani (2007), Djivre & Menashe (2010), Krivonozhko *et al.* (2011), Khaleghi *et al.* (2012), Soleimani-Damaneh (2012), Essid *et al.* (2013).

Now we turn our attention to separability of inputs and outputs. We begin with complete input separability. The technology set under this assumption becomes (7). Here  $s$  is the number of inputs and  $x^s$  is a particular coordinate, and  $x^{s-1}$  the remaining components of the  $s$ -vector  $x$ .

$$T^{Sinp} = \bigcap_{g=1}^s T_{Sep}^{inp_g}; \quad T_{Sep}^{inp_g} = \{(x = (x^g, x^{s-1}), y); x^g \text{ may produce } y\}. \quad (7)$$

For output separability we have (8). Here  $l$  is the number of outputs and  $y^g$  is one particular coordinate, and  $y^{l-1}$  the remaining components of the  $l$ -vector  $y$ .

$$T^{Soupt} = \bigcap_{g=1}^l T_{Sep}^{out_g}; \quad T_{Sep}^{out_g} = \{(x, y = (y^g, y^{l-1}), y); x^g \text{ may produce } y^g\}. \quad (8)$$

Under the assumption of separability of inputs, the efficiency of firm  $j$  is given by (9).

$$\theta^{Sinp}(x_j, y_j) = \inf_{\eta} \{\eta; (\eta x_j, y_j) \in T^{Sinp}\} \quad (9)$$

It can be proved that

$$\theta^{Sinp}(x_j, y_j) = \max_{g=1..s} \theta(x_j^g, y_j), \quad \text{where} \quad \theta(x_j^g, y_j) = \inf_{\eta} \{\eta; (\eta x_j, y_j) \in T^{Sinp_g}\}.$$

Under separability of inputs the efficiencies  $\theta^{Sinp}(x_j, y_j)$  can be estimated calculating a DEA coefficient under constant or variable returns to scale considering, in turn, a DEA estimate  $\hat{\theta}(x_j, y_j^g)$  for each input, and computing the maximum of these measurements. One obtains a similar estimate under output separability computing the DEA estimates for each output and the maximum of these measurements. The statistical assessment of separability is performed again via Smirnov-Kolmogorov test statistic.

The separability condition has also been studied by Homburg (2005), Kuosmanen *et al.* (2006), Ajalli *et al.* (2011).

Finally, the existence of allocative inefficiencies is investigated exploring the decomposition of economic (cost) efficiency into technical efficiency and allocative efficiency. If a firm is allocatively efficient, then technical and cost efficiencies will be the same. The two measurements are

to be compared via a nonparametric statistical test like the Smirnov-Kolmogorov two sample test. We notice here that technical efficiency information may be retrieved from cost data on inputs as in Banker & Natarajan (2004).

Allocative efficiencies were studied by Sueyoshi (1992), Fukuyama & Weber (2002, 2003), Ruiz & Sirvent (2011), Paradi & Tam (2012), Begum *et al.* (2012), among others.

#### 4 EMPIRICAL RESULTS

Table 1 shows descriptive statistics for the efficiency measurements of concern in our study. These are cost efficiencies (BCC\_1), technical efficiencies under constant returns to scale (CCR\_3), technical efficiencies under variable returns to scale (BCC\_3), allocative efficiencies (ALLOC) and technical efficiencies computed under the assumptions of separability of inputs (SEP\_X) and outputs (SEP\_Y), respectively. Orientation in all DEA models is for inputs and technical efficiencies are computed, typically, with four outputs and three inputs. Cost efficiencies are calculated with four outputs and one input (aggregated cost).


Looking at medians and quartiles we see large differences regarding the assumptions of scale. These differences are further highlighted in Figure 1, where one sees other quantiles under each assumption quite distinct. In the context of formal statistical test, only in 2006 the Smirnov-Kolmogorov statistics shows a non significant  $p$ -value of 13.4%. Even in this case Figure 1 shows a distortion from the null hypothesis of no scale effect.

As a referee pointed out, a DMU that has a minimum input value for any input item or a maximum output value for any output item is BCC-efficient. This is a characteristic of the DEA analysis under the VRS assumption. We notice that the theoretical production model considered in this article does not allow the presence of fully efficient DMUs. This property does not affect consistency and distributional results of the efficiency score relative to the underlying population technology. In practical applications the weights on the optimum solution should be examined in search of Pareto optimality. When one is concerned in characterizing factors causing efficiency, efficient units may simply be discarded from the analysis, as in Simar & Wilson (2007), or modeled via a fractional regression, as in Ramalho *et al.* (2010, 2011). If the BCC score is viewed as a performance index and one is worried about spurious efficiency derived from unreasonable input or output measurements, the scenario may be detected before the efficiency analysis by robust statistical methods of outlier detection.


As for separability, we do not detect significant differences at the 5% level for the Smirnov-Kolmogorov statistics in none of the years. The assumption seems to hold for both inputs and outputs. The scatter diagrams shown in Figures 2 and 3 are closer to the reference lines than in Figure 1. The  $p$ -values for separability of inputs are 100%, 98.2%, 88.8%, 98.2%, 100%, 100%, 98.2% for years 2002 to 2009, respectively, and 35.3%, 7.6%, 7.6%, 13.4%, 22.4%, 22.4%, 7.6%, 7.6% for outputs, respectively in the same years. Results are stronger towards separability for inputs than for outputs. This is confirmed in Figures 2 and 3, where one sees a closer agreement with the reference lines among the quantiles for inputs than for outputs.

**Table 1** – Number summaries for cost efficiency (BCC\_1), technical efficiency under constant returns to scale (CCR\_3), variable returns to scale (BCC\_3), allocative efficiency (ALLOC) and technical efficiencies under separability for inputs (SEP\_X) and outputs (SEP\_Y).


		BCC_1	CCR_3	BCC_3	ALLOC	SEP_X	SEP_Y
2002	Min	0.4618	0.3739	0.6673	0.5802	0.6673	0.6462
	Q1	0.6722	0.6412	0.8252	0.7938	0.8252	0.8252
	Median	0.8388	0.8432	1.0000	0.9340	1.0000	0.9579
	Q3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2003	Min	0.4246	0.2619	0.6748	0.6208	0.6748	0.6466
	Q1	0.7312	0.5691	0.8785	0.8323	0.8683	0.8555
	Median	0.8405	0.8408	0.9866	0.9273	0.9255	0.9202
	Q3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2004	Min	0.6355	0.2719	0.7046	0.6493	0.6850	0.6687
	Q1	0.7228	0.6538	0.8872	0.8293	0.8703	0.8585
	Median	0.8144	0.8770	0.9749	0.8810	0.9410	0.9286
	Q3	0.9283	1.0000	1.0000	0.9858	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2005	Min	0.3032	0.2831	0.7763	0.3906	0.7763	0.7736
	Q1	0.8022	0.6949	0.9323	0.8575	0.8560	0.8682
	Median	0.8927	0.9103	1.0000	0.9398	1.0000	0.9815
	Q3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2006	Min	0.5916	0.3548	0.7661	0.7121	0.7661	0.7661
	Q1	0.8169	0.7800	0.8687	0.9307	0.8584	0.8584
	Median	0.9773	0.9371	1.0000	0.9831	1.0000	1.0000
	Q3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2007	Min	0.4150	0.3936	0.7275	0.5524	0.7275	0.7275
	Q1	0.7370	0.6091	0.8400	0.8539	0.8333	0.8274
	Median	0.8567	0.8009	0.9680	0.9272	0.9327	0.9129
	Q3	0.9735	1.0000	1.0000	0.9780	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2008	Min	0.2998	0.3872	0.6575	0.4560	0.6575	0.6470
	Q1	0.7725	0.6413	0.8532	0.8745	0.8411	0.8311
	Median	0.8785	0.8429	1.0000	0.9178	0.9722	0.9748
	Q3	1.0000	0.9731	1.0000	1.0000	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2009	Min	0.3447	0.5066	0.6354	0.5424	0.6354	0.6354
	Q1	0.8070	0.7135	0.9085	0.8830	0.8919	0.8817
	Median	0.9130	0.9068	0.9796	0.9701	0.9649	0.9694
	Q3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	Max	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000



**Figure 1** – Quantile-quantile plots of technical efficiency measures under variable returns to scale (BCC<sub>3</sub>) and constant returns to scale (CCR<sub>3</sub>) by year – 2009 to 2002 in row order.



**Figure 2** – Quantile-quantile plots for investigation of input separability by year – 2009 to 2002 in row order. SEP\_X is technical efficiency under input separability and variable returns to scale and BCC<sub>3</sub> is technical efficiency under variable returns to scale.



**Figure 3** – Quantile-quantile plots for investigation of output separability by year – 2009 to 2002 in row order. SEP\_Y is technical efficiency under output separability and variable returns to scale and BCC\_3 is technical efficiency under variable returns to scale.

The differences between the use of separate and combined outputs can be seen in the median efficiency evolution in the period 2002-2009. For separate outputs the figures are 1.00, 0.99, 0.97, 1.00, 1.00, 0.97, 1.00, 0.98, respectively, and for a weighted average combined output the figures are as expected lower: 0.90, 0.85, 0.87, 0.89, 0.91, 0.87, 0.88, and 0.88, respectively. These differences do not seem to be strong enough to invalidate statistically the separability assumption.

There are statistically significant allocative inefficiencies for almost all years. Corresponding *p*-values for Smirnov Kolmogorov test statistics are 1%, 0.4%, 0.03%, 7.6%, 13.4%, 7.6%, 7.6%, 4% for years 2002-2009, respectively. On the other hand, it should be pointed out that the annual medians of allocative efficiencies are all above 90% (exception of 2004 with 88%), indicating proper choices of input mixes. In this case the Smirnov-Kolmogorov test statistics seems to be detecting small deviations.

As stated in Coelli *et al.* (2005), allocative efficiency reflects the ability of a firm to use the inputs in optimal proportions given their respective prices and the production technology. It is difficult for a research public company as Embrapa to control the proper input ratios. The decision-makers may not chose the proper input proportions based on relative prices of inputs. Even so, considering the high values obtained for allocative efficiencies, the choice of the proper proportions of inputs does not seem to be a problem for Embrapa’s managers.

## 5 CONCLUSIONS AND EXTENSIONS FOR FUTURE STUDIES

For Embrapa's research production model we investigated the properties of returns to scale, proper choice of input mixes and separability of inputs and outputs.

The assumption of constant returns to scale is rejected leading to the more flexible variable returns assumption and higher values of the DEA measures of efficiency. The scale adjustments carried out by the company were not successful to overcome scale of operation differences.

Allocative efficiency is very high for all years, although one notices, in sub-periods, statistically significant differences relative to a variable returns cost technology frontier.

Inputs and outputs are separable. This implies that aggregation is justifiable on both sides of production. The implications of this result to Embrapa are important. For inputs, separability means that the influence of each of the inputs on the output is independent of the other inputs, emphasizing the need for controlling marginal input effects. For outputs, it implies that the same efficiency level could be obtained considering as a production response an output projection on a lower dimensional space. In this context, combined output weighted averages may be computed to impose administration perceptions in the production process and to reduce any biases noticed in the process in the direction of an unwanted grouping of variables. This justifies the use of combined outputs by the company in the evaluation process.

Future researches, as a result of the studies carried out here, should envisage the association of scale inefficiencies with congestion measures. Coelli *et al.* (2005) points out that one should not go looking for congestion, as it will often be found whether or not it actually exists. Scale is an important component in congestion studies.

## ACKNOWLEDGMENTS

The authors would like to thank the National Council for Scientific and Technological Development (CNPq) for the financial support.

## REFERENCES

- [1] AJALLI M, BAYAT N, MIRMAHALLEH SRS & RAMAZANI MRM. 2011. Analysis of the technical efficiency of the provincial gas companies in Iran making use of the synthetic model of Data Envelopment Analysis and Anderson-Peterson Method (DEA-AP). *European Journal of Social Sciences*, **25**(2): 156–160.
- [2] BANKER RD & NATARAJAN R. 2008. Evaluating contextual variables affecting productivity using data envelopment analysis. *Operations Research*, **56**(1): 48–58.
- [3] BANKER RD & NATARAJAN R. 2004. Statistical tests based on DEA efficiency scores. In: COOPER WW, SEIFORD LM & ZHU J. (Eds.). *Handbook on Data Envelopment Analysis*, Kluwer International Series, Boston, 299–321.
- [4] BANKER RD, CHANG H & FERROZ EH. 2011. Performance measurement in nonprofit governance: an empirical study of the Minnesota independent school districts. *Annals of Operation Research* (forthcoming).

- [5] BEGUM IA, ALAM MJ, BUYASSE J, FRIJA A & VAN HUYLENBROECK G. 2012. Contract farmer and poultry farm efficiency in Bangladesh: A data envelopment analysis. *Applied Economics*, **44**(28): 3737–3747.
- [6] BERNDT ER & CHRISTENSEN LR. 1973. The internal structure of functional relationships: separability, substitution and aggregation. *The Review of Economic Studies*, **40**(3): 403–410.
- [7] BLACKORBY C, PRIMONT D & RUSSELL RR. 1977. On testing separability restrictions with flexible functional forms. *Journal of Econometrics*, **5**(2): 195–209.
- [8] BOUYSSOU D, MARCHANT T, PIRLOT M, TSOUKIAS A & VINCKE P. 2010. Evaluation and Decision Models with Multiple Criteria: stepping stones for the analyst. Springer, New York.
- [9] CHAMBERS RG & FÄRE R. 1993. Input-output separability in production models and its structural consequences. *Journal of Economics*, **57**(2): 197–202.
- [10] COELLI TJ, RAO DSP, O'DONNELL CJ & BATTESE GE. 2005. An Introduction to Efficiency and Productivity Analysis. 2<sup>nd</sup> edition. Springer, New York.
- [11] DJIVRE J & MENASHE Y. 2010. Testing for constant returns to scale and perfect competition in the Israeli economy, 1980-2006. *Israel Economic Review*, **8**(2): 67–90.
- [12] EMROUZNEJAD A & AMIN RAG. 2009. DEA models for ratio data: convexity consideration. *Applied Mathematical Modelling*, **33**(1): 486–498.
- [13] ESSID H, OUELLETTE P & VIGEANT S. 2013. Small is not that beautiful after all: Measuring the scale efficiency of Tunisian high schools using a DEA-bootstrap method. *Applied Economics Volume*, **45**(9): 1109–1120.
- [14] FÄRE R & GROSSKOPF S. 1994. Estimation of returns to scale using data envelopment analysis: A comment. *European Journal of Operational Research*, **79**(2): 379–382.
- [15] FUKUYAMA H & WEBER WL. 2002. Estimating output allocative efficiency and productivity change: Application to Japanese banks. *European Journal of Operational Research*, **137**(1): 177–190.
- [16] FUKUYAMA H & WEBER WL. 2003. Modeling input allocative efficiency via distance and quasi-distance functions. *Journal of the Operations Research Society of Japan*, **46**(3): 264–285.
- [17] HOAGLIN DC, MOSTELLER F & TUKEY JW. 2000. Understanding Robust and Exploratory Data Analysis. Wiley, New York.
- [18] HOLLINGSWORTH B & SMITH P. 2003. Use of ratios in data envelopment analysis. *Applied Economics Letters*, **10**(11): 733–735.
- [19] HOMBURG C. 2005. Using relative profits as an alternative to activity-based costing. *International Journal of Production Economics*, **95**(3): 387–397.
- [20] JAHANSHAHLOO GR, SOLEIMANI-DAMANEH M & ROSTAMY-MALKHALIFEH M. 2005. An enhanced procedure for estimating returns-to-scale in DEA. *Applied Mathematics and Computation*, **171**(2): 1226–1238.
- [21] KHALEGHI M, JAHANSHAHLOO G, ZOHREHBANDIAN M & LOTFI FH. 2012. Returns to scale and scale elasticity in two-stage DEA. *Mathematical and Computational Applications*, **17**(3): 193–202.
- [22] KOTZ N & JOHNSON L. 1989. Thurstone's theory of comparative judgment. *Encyclopedia of Statistical Sciences*, **9**: 237–239.

- [23] KRIVONOZHKO VE, FØRSUND FR & LYCHEV AV. 2012. Returns-to-scale properties in DEA models: the fundamental role of interior points. *Journal of Productivity Analysis*, **38**(2): 121–130.
- [24] KUOSMANEN T, PEMSL D & WESSELER J. 2006. Specification and estimation of production functions involving damage control inputs: A two-stage, semiparametric approach. *American Journal of Agricultural Economics*, **88**(2): 499–511.
- [25] MCCULLAGH P & NELDER JA. 1989. Generalized Linear Models. 2<sup>nd</sup> edition. Chapman & Hall/CRC, London.
- [26] PARADI JC & TAM FK. 2012. The examination of pseudo-allocative and pseudo-overall efficiencies in DEA using shadow prices. *Journal of Productivity Analysis*, **37**(2): 115–123.
- [27] POMEROL JC & BARBA-ROMERO S. 2000. Multicriterion decision in management: Principles and practice. Kluwer Academic, Boston.
- [28] RAMALHO EA, RAMALHO JJS & HENRIQUES PD. 2010. Fractional regression models for second stage DEA efficiency analyses. *Journal of Productivity Analysis*, **34**(3): 239–255.
- [29] RAMALHO EA, RAMALHO JJS & MURTEIRA JMR. 2011. Alternative estimating and testing empirical strategies for fractional regression models. *Journal of Economic Surveys*, **25**(1): 19–68.
- [30] RUIZ JL & SIRVENT I. 2011. A DEA approach to derive individual lower and upper bounds for the technical and allocative components of the overall profit efficiency. *Journal of the Operational Research Society*, **62**(11): 1907–1916.
- [31] SAATY TL. 1994. The Fundamentals of Decision Making and Priority Theory with the Analytic Hierarchy Process. RWS Publication, Pittsburgh.
- [32] SEIFORD LM & THRALL RM. 1990. Recent developments in DEA, the mathematical programming approach to frontier analysis. *Journal of Econometrics*, **46**(1-2): 7–38.
- [33] SIMAR L & WILSON PW. 2007. Estimation and inference in two-stage, semi-parametric models of production processes. *Journal of Econometrics*, **136**(1): 31–64.
- [34] SOLEIMANI-DAMANEH M. 2012. On a basic definition of returns to scale. *Operations Research Letters*, **40**(2), 144–147.
- [35] SOUZA GS. 2002. The law of categorical judgement revisited. *Brazilian Journal of Probability and Statistics*, **16**(2): 123–140.
- [36] SOUZA GS, AVILA AFD & ALVES E. 1999. Technical efficiency of production in agricultural research. *Scientometrics*, **46**(1): 141–160.
- [37] SOUZA GS, GOMES EG & STAUB RB. 2010. Probabilistic measures of efficiency and the influence of contextual variables in nonparametric production models: an application to agricultural research in Brazil. *International Transactions in Operational Research*, **17**(3): 351–363.
- [38] SOUZA GS, GOMES EG, MAGALHÃES MC & AVILA AFD. 2007. Economic efficiency of Embrapa research centers and the influence of contextual variables. *Pesquisa Operacional*, **27**(1): 15–26.
- [39] SOUZA GS, SOUZA MO & GOMES EG. 2011. Computing confidence intervals for output oriented DEA models: an application to agricultural research in Brazil. *Journal of the Operational Research Society*, **62**: 1844–1850.
- [40] SUEYOSHI T. 1992. Measuring technical, allocative and overall efficiencies using a DEA algorithm. *Journal of the Operational Research Society*, **43**(2): 141–155.



- [41] SUEYOSHI T & SEKITANI K. 2007. Measurement of returns to scale using a non-radial DEA model: A range-adjusted measure approach. *European Journal of Operational Research*, **176**(3): 1918–1946.
- [42] THURSTONE LL. 1927. A law of comparative judgments. *Psychological Review*, **34**(4): 273–286.
- [43] TORGERSON WS. 1958. *Theory and Methods of Scaling*. Wiley, New York.
- [44] ZHU J & SHEN ZH. 1995. A discussion of testing DMUs' returns to scale. *European Journal of Operational Research*, **81**(3): 590–596.