



## 449 EFFECTS OF HORMONAL ADMINISTRATION IN TWO DIFFERENT SHIFTS AND OVULATORY DYNAMICS IN NONBREEDING SEASON ON TOGGENBURG GOATS

F. N. Zambrini<sup>A</sup>, E. P. Costa<sup>A</sup>, J. H. Bruschi<sup>B</sup>, J. M. G. Souza<sup>A</sup>, L. S. Amorim<sup>A</sup> and J. F. Fonseca<sup>C</sup><sup>A</sup> Federal University of Viçosa, Viçosa, MG, Brazil;<sup>B</sup> Embrapa Dairy Cattle, Coronel Pacheco, MG, Brazil;<sup>C</sup> Embrapa Goats and Sheep, Sobral, CE, Brazil

### View

- ▶ Issue Contents
- ▶ Abstract
- ▶ Export Citation

### Tools

- ▶ Print
- ▶ Bookmark
- ▶ Email this page

### Abstract

Assisted reproduction has been used to optimize reproduction in goats. Ultrasound technology has resulted in a definite gain of knowledge in terms of ovulation time. The aim of this study was to evaluate if the shift (morning or afternoon) of hormonal administration affects different reproductive parameters. This study was conducted from October to December (nonbreeding season) of 2005, in Piauí/MG (21°35'S latitude and 43° 15'W longitude), Brazil. Eighteen nulliparous ( $n = 9$ ) or pluriparous ( $n = 9$ ) Toggenburg goats were assigned equally according to body weight and condition score into two treatments. Animals received intravaginal sponges (60 mg of MAP, Progespon<sup>®</sup>, Syntex, Buenos Aires, Argentina) for 6 days plus 37.5 (igof cloprostenol Prolise<sup>®</sup>, ARSA S.R.L., Buenos Aires, Argentina) latero-vulvar and 200 IUeCG (Novormon<sup>®</sup> 5000, Syntex) i.m. 48 h before sponge removal. Procedures were done early in the morning for T1 (10 h) and later in afternoon for T2 (17 h). Goats were monitored twice daily to identify estrous onset and its duration. After sponge removal, ultrasound evaluations were performed every 8 h until ovulation to determine the time, number of ovulations, and ovulatory follicle diameters (5-MHz transducer; Aloka, SSD 500<sup>®</sup>, Tokyo, Japan). Statistical analyses were performed using all tests at the 95% confidence interval with a SAEG<sup>®</sup> program (Funarbe, Viçosa, Brazil). The results are presented as mean  $\pm$  SD. The interval (h) from sponge removal to estrous onset was  $30.7 \pm 10.6$  (T1) and  $34.3 \pm 17.6$  (T2), whereas its duration was  $33.3 \pm 22.3$  (T1) and  $34.3 \pm 22.4$  (T2) ( $P > 0.05$ ). The interval (h) from sponge removal to ovulation was  $54.4 \pm 10.2$  (T1) and  $53.4 \pm 12.3$  (T2) ( $P > 0.05$ ). Also, the interval (h) from estrous onset to ovulation was  $26.8 \pm 8.7$  (T1) and  $18.1 \pm 26.3$  (T2). No difference ( $P > 0.05$ ) was observed in the number of ovulations for T1 ( $1.89 \pm 0.93$ ) or T2 ( $1.89 \pm 0.60$ ). The diameter of the ovulatory follicle (mm) was similar ( $P > 0.05$ ) for T1 ( $8.4 \pm 1.28$ ) and T2 ( $7.36 \pm 1.15$ ) ( $P > 0.05$ ). A negative correlation was detected between the interval to estrous onset and diameter of the largest follicle ( $r = -0.41$ ;  $P < 0.05$ ), as well as between the interval to estrous onset and the interval from estrus to ovulation ( $r = -0.73$ ;  $P < 0.001$ ). A positive correlation was registered between the interval from estrus to ovulation and diameter of the largest follicle ( $r = 0.65$ ;  $P < 0.001$ ) and also between the interval from sponge removal to ovulation and diameter of the largest follicle ( $r = 0.51$ ;  $P < 0.005$ ) that was evident, indicating that follicles get larger with time. Finally, a negative correlation ( $r = -0.88$ ;  $P < 0.05$ ) was obtained between number of ovulations and average diameters of ovulated follicles. These data suggest that Toggenburg goats have a synchronization of ovulation when receiving progestagen short-term protocols in the nonbreeding season, independent of the hormonal dispensing shift.

Financial support: Embrapa Goats and Sheep, Tecnopec, Fapemig, CNPq.

Reproduction, Fertility and Development 22(1) 381–381 doi:10.1071/RDv22n1Ab449  
Published: 08 December 2009

Top Print Email this page

Legal & Privacy | Sitemap | Contact Us | Help



© CSIRO 1996-2010

4986  
P.158



## Search



Advanced Search

- ▶ [Journal Home](#)
- ▶ [General Information](#)
- ▶ [Scope](#)
- ▶ [Editorial Board](#)
- ▶ [Editorial Contacts](#)
- ▶ [Print Publication Dates](#)

- ▶ [Online Content](#)
- ▶ [For Authors](#)
- ▶ [For Referees](#)
- ▶ [How to Order](#)

## Most Read

Visit our [Most Read](#) page regularly to keep up-to-date with the most downloaded papers in this journal.

## Early Alert

Subscribe to our email [Early Alert](#) or [RSS](#) feeds for the latest journal papers.

## Table of Contents



### Reproduction, Fertility and Development

Volume 22 Number 1 2010

Proceedings of the Annual Conference of the International Embryo Transfer Society, Córdoba, Argentina, 9–12 January 2010  
Full Papers and Abstracts for Poster Presentation

#### IETS 2010 author index

pp. 383-393  
[PDF \(112 KB\)](#)

#### IETS 2010 abstracts

pp. 159-381  
[PDF \(3.5 MB\)](#)

#### Recipient of the 2010 IETS Pioneer Award: Reuben John Mapletoft, DVM, MSc, PhD

pp. xxxv-xxxviii  
[PDF \(185 KB\)](#)

#### Coordinated regulation of follicle development by germ and somatic cells

Mario Binelli and Bruce D. Murphy  
pp. 1-12  
[Abstract](#) | [Full Text](#) | [PDF \(1.3 MB\)](#)

#### Mammalian oocyte development: checkpoints for competence

Trudee Fair  
pp. 13-20  
[Abstract](#) | [Full Text](#) | [PDF \(208 KB\)](#)

#### Is the zona pellucida an efficient barrier to viral infection?

A. Van Soom, A. E. Wrathall, A. Herrier and H. J. Nauwynck  
pp. 21-31  
[Abstract](#) | [Full Text](#) | [PDF \(525 KB\)](#)

#### Towards the use of microfluidics for individual embryo culture

R. L. Krisher and M. B. Wheeler  
pp. 32-39  
[Abstract](#) | [Full Text](#) | [PDF \(341 KB\)](#)

#### Challenge testing of gametes to enhance their viability

Henrik Callesen  
pp. 40-46  
[Abstract](#) | [Full Text](#) | [PDF \(169 KB\)](#)

#### Applications of RNA interference-based gene silencing in animal agriculture

Charles R. Long, Kimberly J. Tessanne and Michael C. Golding  
pp. 47-58  
[Abstract](#) | [Full Text](#) | [PDF \(244 KB\)](#)

#### Effects of gamete source and culture conditions on the competence of *in vitro*-produced embryos for post-transfer survival in cattle

Peter J. Hansen, Jeremy Block, Barbara Loureiro, Luciano Bonilla and Katherine E. M. Hendricks  
pp. 59-66  
[Abstract](#) | [Full Text](#) | [PDF \(270 KB\)](#)

#### Bovine embryo transfer recipient synchronisation and management in tropical environments

Pietro S. Baruselli, Roberta M. Ferreira, Manoel F. Sá Filho, Luiz F. T. Nasser, Carlos A. Rodrigues and Gabriel A. Bó  
pp. 67-74  
[Abstract](#) | [Full Text](#) | [PDF \(305 KB\)](#)

#### Pregnancy recognition and abnormal offspring syndrome in cattle

C. E. Farin, W. T. Farmer and P. W. Farin  
pp. 75-87  
[Abstract](#) | [Full Text](#) | [PDF \(286 KB\)](#)

#### Delivery of cloned offspring: experience in Zebu cattle (*Bos indicus*)

Flávio V. Meirelles, Eduardo H. Birgel, Felipe Perecin, Marcelo Bertolini, Anneliese S. Traidi, José Rodrigo V. Pimentel, Eliza R. Komninou, Juliano R. Sangalli, Paulo Fantinato Neto, Mariana Tikuma Nunes, Fábio Celidonio Pogliani, Flávia D. P. Meirelles, Flávia S. Kubrusly, Camila I. Vannucchi and Liege C. G. Silva

## Major Announcement

**New Editor-in-Chief**  
Professor Tony Flint has been appointed to lead *Reproduction, Fertility and Development*.

## Related Product

**RNA Interference**  
An introduction to the phenomenon of RNA Interference.  
[More](#)

## Related Special Issues

**Beyond the Platypus Genome:**  
[comparative genomics, sex and reproduction and evolution, comparative genomics and monotreme biology.](#)