

# X Encontro da SBPMat

## Gramado - RS

25 to 29 | september  
2011

### Conference Details and Registration

All attendees are encouraged to visit the conference website <http://www.sbpmat.org.br/x-meeting> for further and updated information such as registration, submission of abstracts, important links for traveling (visas, travel agencies) and hotel reservation.

### Symposia

- A) Magnetic and Superconducting Materials
- B) Biodegradable Polymer Materials
- C) Electronic Materials
- D) Surface Engineering: Fabrication, Characterization, Properties and Applications of Protective Coatings and Modified Surfaces
- E) Materials with Negative Properties
- F) Nanostructured Functional Materials for Advanced Energy and Environmental Applications
- G) Molecular Modeling Materials Science
- H) Structure-property Relationship of Advanced Metallic Materials
- I) Sol-gel Route to Prepare New Inorganic, Hybrid and Multifunctional Materials
- J) Solidification of Metals and Alloys
- K) Supramolecular Organic Materials for Electronic, Photonics and Nanotechnology
- L) Structure-Property Relationship of Ceramic Materials: Theoretical and Experimental Aspects
- M) Advances and Applications of Electron Microscopy
- N) Prospects for Materials Science with Synchrotron Radiation in Brazil
- O) 1st Brazilian Symposium in Friction Stir Welding and Processing Graphene

### Official Travel Agency: Liga Turismo

This agency provides excellent hosting, airline tickets (20% discount), Gramado-PoA airport shuttle options and sightseeing suggestions.

Liga Turismo also provides travel-hosting-tour combo options! Get in touch!

Telephone: +55 51 3085-4466 or +55 54 3286-4048

Email: [reservas@ligaturismo.com.br](mailto:reservas@ligaturismo.com.br)




X Brazilian MRS Meeting

**SBPMat**  
Brazil-MRS

Brazilian Mater.  
Research Socie

## X Brazilian MRS Meeting



16 symposia with oral, poster and invited lecture presentations

Plenary lectures

Exhibits

Celebration of 10 years of Brazilian MRS

### National Committee

- Aldo Felix Craievich (USP-SP)
- Aloisio Nelmo Klein (UFSC)
- Antonio Carlos Hernandes (USP-SC)
- Carlos Frederico de Oliveira Graeff (Unesp)
- Carlos Mauricio Lepienski (UFRJ)
- Dulce Maria de Araujo Melo (UFRN)
- Edgar Dutra Zanotto (UFSCar)
- Elisa Maria Baggio Saitovich (CBPF)
- Elson Longo (Unesp)
- Fernando Cláudio Zawislak (UFRGS)
- Fernando Lazaro Freire Junior (PUC-RJ)
- Iêda Maria Garcia dos Santos (UFPB)
- Ivan Guillermo Solorzano (PUC-RJ)
- Jesiel Freitas Carvalho (UFG)
- Jose Alberto Giacometti (Unesp)
- Jose Antônio Eiras (UFSCar)
- José Arana Varela (Unesp)
- Julio Ricardo Sambrano (Unesp)
- Margareth Spangler (CETEC-MG)
- Raul José da Silva C. M. da Fonseca (UERJ)
- Renato de Figueiredo Jardim (USP-SP)
- Roberto Mendonça Faria (USP-SC)
- Sergio de Souza Camargo Junior (UFRJ)
- Waldemar Augusto A. Macedo (CDTN)
- Walter Jose Botta Filho (UFSCar)

### Local Committee

- Adriana Pohlmann (UFRGS)
- César Petzhold (UFRGS)
- Cristiano Krug (UFRGS)
- Daniel L. Baptista (UFRGS)
- Eduardo Ceretta Moreira (Unipampa)
- Fábio Teixeira Dias (UPEL)
- Gustavo M. de Azevedo (UFRGS)
- Luiz F. Scheip (UFSM)
- Marcia R. Gallas (UFRGS)
- Naira M. Balzaretti (UFRGS)
- Paulo F. P. Fichtner (UFRGS)
- Ricardo M. Papaleo (PUC-RS)

10 years of excellence in  
the congregation of science  
and research in materials  
technology in Brazil

### Contact

#### Secretariat

[x-meeting@sbpmat.org.br](mailto:x-meeting@sbpmat.org.br)  
(55) (51) 3231-0311

### Conference Chairs

Paulo F. P. Fichtner - UFRGS - RS  
Naira M. Balzaretti - UFRGS - RS

### Important Dates

April, 5th - Registrations open  
May, 30th - Submissions deadline  
June, 13th - Acceptance

### Support



Credit of photos: Leonid Streliai

# Investigations of microcantilever surface functionalization as potential applications to nanobiosensors.

A. Manzoli<sup>1</sup>, C. Steffens<sup>1, 2</sup>, J. E. Oliveira<sup>1</sup> P. S. P. Herrmann<sup>1</sup>

<sup>1</sup> Laboratório Nacional de Nanotecnologia aplicada ao Agronegócio (LNNA), Embrapa Instrumentação, P. O. Box 741, 13560-970, São Carlos, SP, Brasil

<sup>2</sup> Universidade Federal de São Carlos, PPGBiotec, SP, Brasil.

Cantilever biosensors have attracted considerable interest in several areas due to high specificity of certain biomolecules (antibodies, enzymes, DNA, etc.), detection of biomarkers, simultaneously with high sensitivity and selectivity in very small volumes of sample. Potential applications of these cantilever biosensors include analysis in biomedical, environmental and agricultural [1]. Other applications of interest in agribusiness are the monitoring of pesticides and metals in water. It is reported the utilization of the alkaline phosphatase enzyme in the development of biosensors for detection of metals such as cadmium, cobalt, zinc, nickel and lead in water [2] Alkaline phosphatase enzyme is important for detection of phosphate [3] and heavy metals [2] in surface waters. The purpose of this study is to compare two different types of immobilization of the microcantilever's surface with alkaline phosphatase enzyme: 1) deposition of 20 nm of gold on the microcantilever surface by "sputtering", 2.5 mmol 16-mercaptophexadecanoic acid (thiol) on the gold and 10 µL (5 mg in 1 mL) of alkaline phosphatase enzyme on thiol. 2) 5 µL of (3-Mercaptopropyl)-trimethoxysilane on the microcantilever surface. The experiments were performed with commercially available rectangular silicon tip-less microcantilevers (350 µm length, 30 µm width and 0.5-1.5 µm thickness with a force constant of 0.07 N m<sup>-1</sup>, NT-MDT Company, Russia). Surface properties of microcantilevers were monitored by contact angle measurements and atomic force microscopy (AFM). The resonance frequencies of microcantilevers were monitored with Dimension V (Veeco) atomic force microscope. A solution of 10 ppm of PbCl<sub>2</sub> was utilized. The efficiency for different immobilizations of microcantilevers was measured by exposed them to 10 ppm PbCl<sub>2</sub>.solution for 10 minutes, then for 10 minutes to a pH 7.4 phosphate buffer solution, after which this cycle was repeated several times. The resonance frequencies of microcantilevers were measured at each cycle. It was observed that the functionalized microcantilever with silane showed a higher efficiency because the alkaline phosphatase enzyme remained linked to the substrate in a larger number of cycles.

The authors thank INCT-NAMITEC (380899/2010-8) and FAPESP (2009/08244-0) for the financial support for this research, and LNNA of the Embrapa Instrumentation for the infrastructure.

- [1] M. J. Dennison, A. P. F. Turner, Biotechnology Advances **13** 1-12 (1995).
- [2] A. L. Berezhetsky, O. F. Sosovsk, C. Durrieu, J.-M. Chovelon, S.V. Dzyadevych, C. Tran-Minh, IRBM **29** 136-140 (2008).
- [3] Maria Martí Villalba, K.J. McKeegan, D.H. Vaughan, M.F. Cardosi, J. Davis, Journal of Molecular Catalysis B: Enzymatic **59**, 1-8 (2009).  
e-mail:[alexandra@cnpdia.embrapa.br](mailto:alexandra@cnpdia.embrapa.br), Laboratório Nacional de Nanotecnologia aplicada ao Agronegócio (LNNA), Embrapa Instrumentação, P. O. Box 741, 13560-970, São Carlos, SP,